



CRC Belt Conditioner

Item Number

1003783

Legacy Number

05350

Case Number

1003780

Product Description

Eliminates squeaks and prolongs belt life. For use on all types of belts, such as serpentine, flat and v-type belts. Prevents slippage and glazing. Removes oil, grease and glaze. Use every 3,000 miles to prevent drying out and slippage.

Applications

Belts, canvas belts, fabrics, flat belts, leather belts, round belts, rubber, V-belts

Unit Package Description

10 Ounce Aerosol

Brand

CRC

Net Fill

7.5 Wt Oz

Unit Dimensions

6.25H x 2.63W x 2.63D in

Units Per Case

12

UPC Code

78254053509

Case Dimensions

6.7H x 8.3W x 11.1D in

Appearance

Colorless liquid

Flash point (F)

16°F

Flash point (C)

-9°C

Flammability Class - CPSC

Extremely Flammable

KB Value

N/A

Plastic Safe

Yes

Evaporation Rate

Fast

Dielectric Strength

26,600 Volts/Mil

Timken Ok Load (lbs)

N/A

Propellant

Hydrocarbon

Aerosol Flammability Level

III

DOT Proper Shipping Name

Aerosols, Flammable, Limited Quantity

4 Ball EP

N/A

4 Ball Wear

N/A

Drop Point

N/A

pH

N/A

SAE Grade

N/A

Water Washout

N/A

Working Temp (F)

Max 350°F

Working Temp (C)

Max 176.7°C

VOC % (Consumer Product def)

92.7

VOC g/L (Consumer Product def)

628

VOC lbs/gal (Consumer Prod def)

5.24

VOC Category

Not Regulated

Removal (How To)

Remove with mineral spirits or HF™ Contact Cleaner.