



CRC Heavy Duty Silicone Lubricant

Item Number

1003743

Legacy Number

05174

Case Number

1003741

Product Description

Lubricates and eliminates squeaking and binding caused by friction. Film is clean, odorless, and highly resistant to water. Use on nylon, rubber, metal & non-metal surfaces.

Applications

Wood, metal and rubber surfaces. Use in moist and harsh environments. Not for use as an appearance cleaner or on paint.

Unit Package Description

16 Ounce Aerosol

Brand

CRC

Net Fill

11 Wt Oz

Unit Dimensions

7.75H x 2.63W x 2.63D in

Units Per Case

12

UPC Code

78254051741

Case Dimensions

8.13H x 5.47W x 8.00D in

Appearance

Clear Colorless Liquid

Base Type

Silicone

Flash point (F)

<0°F

Flash point (C)

<-18°C

Flammability Class - CPSC

Extremely Flammable

KB Value

N/A

Plastic Safe

No

Film Type

Thin, Dry

Film Thickness

Non-Drying

Evaporation Rate

Fast

Dielectric Strength

350 Volts/Mil

Timken Ok Load (lbs)

N/A

Propellant

Hydrocarbon

Aerosol Flammability Level

III

DOT Proper Shipping Name

Aerosols, Flammable, Limited Quantity

4 Ball EP

N/A

4 Ball Wear

N/A

Drop Point

N/A

pH

N/A

ISO Viscosity Grade

N/A

NLGI Grade

N/A

SAE Grade

N/A

Water Washout

N/A

Working Temp (F)

-40 to 400°F

Working Temp (C)

-40 to 204.4°C

VOC % (Consumer Product def)

59.5

VOC g/L (Consumer Product def)

445.1

VOC lbs/gal (Consumer Prod def)

3.7

VOC Category

Silicone Based Multi-Purpose Lubricant

Removal (How To)

Remove with soap & water, CRC HydroForce® All Purpose, etc. and elbow power (scrubbing).